



Central Analytical Laboratories

2315 N. Causeway Blvd., Suite 150, Metairie, LA 70001
(504) 297-3400 Toll Free: (866) 388-3400 Fax: (504) 297-3410

REPORT OF ANALYSIS

Submitted By: **HENDRIKUS GROUP**
P.O. BOX 1289
ISSAQUAH, WA 98027

ATTN: TINA PETERSON

Submit Date: 08/29/08
Report Date: 09/16/08

CAL Number: CE58033
Sample Type: FERTILIZER

Sample ID: **ORGANO BLOOM FERTILIZER**

ANALYTE	RESULT	MDL	UNIT	DATE	ANALYST
Picloram	Not detected	0.01	mg/Kg	09/15/08	AP
Clopyralid	Not detected	0.01	mg/Kg	09/11/08	AP
Organochlorine Pesticides					
Alachlor	Not detected	0.01	mg/Kg	09/15/08	VTJ
Aldrin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Benfluralin	Not detected	0.01	mg/Kg	09/15/08	VTJ
BHC	Not detected	0.01	mg/Kg	09/15/08	VTJ
Bifenox	Not detected	0.01	mg/Kg	09/15/08	VTJ
Boscalid	Not detected	0.01	mg/Kg	09/15/08	VTJ
Bromacil	Not detected	0.01	mg/Kg	09/15/08	VTJ
Captafol	Not detected	0.01	mg/Kg	09/15/08	VTJ
Captan	Not detected	0.01	mg/Kg	09/15/08	VTJ
Chlordane	Not detected	0.01	mg/Kg	09/15/08	VTJ
Chlorfenapyr (Alert)	Not detected	0.01	mg/Kg	09/15/08	VTJ
Chlorobenzilate	Not detected	0.01	mg/Kg	09/15/08	VTJ
Chlorothalonil	Not detected	0.01	mg/Kg	09/15/08	VTJ
Cyanazine	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dacthal (Chlorthal)	Not detected	0.01	mg/Kg	09/15/08	VTJ
DDD	Not detected	0.01	mg/Kg	09/15/08	VTJ
DDE	Not detected	0.01	mg/Kg	09/15/08	VTJ
DDT	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dichlobenil	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dichlone	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dicloran	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dicofol	Not detected	0.01	mg/Kg	09/15/08	VTJ
Dieldrin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Endosulfan alpha	Not detected	0.01	mg/Kg	09/15/08	VTJ
Endosulfan beta	Not detected	0.01	mg/Kg	09/15/08	VTJ
Endosulfan sulfate	Not detected	0.01	mg/Kg	09/15/08	VTJ
Endrin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Ethafuralin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Fenhexamid	Not detected	0.01	mg/Kg	09/15/08	VTJ
Folpet	Not detected	0.01	mg/Kg	09/15/08	VTJ
HCB	Not detected	0.01	mg/Kg	09/15/08	VTJ
Heptachlor	Not detected	0.01	mg/Kg	09/15/08	VTJ
Heptachlor epoxide	Not detected	0.01	mg/Kg	09/15/08	VTJ
Indoxacarb	Not detected	0.01	mg/Kg	09/15/08	VTJ
Iprodione	Not detected	0.01	mg/Kg	09/15/08	VTJ
Lindane (gamma-BHC)	Not detected	0.01	mg/Kg	09/15/08	VTJ
Linuron	Not detected	0.01	mg/Kg	09/15/08	VTJ
Methoxychlor	Not detected	0.01	mg/Kg	09/15/08	VTJ

ANALYTE	RESULT	MDL	UNIT	DATE	ANALYST
Metribuzin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Mirex	Not detected	0.01	mg/Kg	09/15/08	VTJ
Myclobutanil	Not detected	0.01	mg/Kg	09/15/08	VTJ
Oxadiazon	Not detected	0.01	mg/Kg	09/15/08	VTJ
Oxyfluorfen	Not detected	0.01	mg/Kg	09/15/08	VTJ
Pendimethalin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Pentachloronitrobenzene (PCNB)	Not detected	0.01	mg/Kg	09/15/08	VTJ
Pentachloroaniline	Not detected	0.01	mg/Kg	09/15/08	VTJ
Perthane	Not detected	0.01	mg/Kg	09/15/08	VTJ
Polychlorinated Biphenyls	Not detected	0.1	mg/Kg	09/15/08	VTJ
Procymidone	Not detected	0.01	mg/Kg	09/15/08	VTJ
Profluralin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Pronamide	Not detected	0.01	mg/Kg	09/15/08	VTJ
Propanil	Not detected	0.01	mg/Kg	09/15/08	VTJ
Tetradifon	Not detected	0.01	mg/Kg	09/15/08	VTJ
Toxaphene	Not detected	0.1	mg/Kg	09/15/08	VTJ
Tridimephon	Not detected	0.01	mg/Kg	09/15/08	VTJ
Trifloxystrobin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Triflumazole	Not detected	0.01	mg/Kg	09/15/08	VTJ
Trifluralin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Vegadex (Diethyldithiocarbamic Acid)	Not detected	0.01	mg/Kg	09/15/08	VTJ
Vinclozolin	Not detected	0.01	mg/Kg	09/15/08	VTJ
Pyrethroids					
Bifenthrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Cyfluthrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Cypermethrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Deltamethrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Esfenvalerate	Not detected	0.02	mg/Kg	09/15/08	SMR
Fenpropathrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Fluvalinate	Not detected	0.02	mg/Kg	09/15/08	SMR
Lambda Cyhalothrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Permethrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Tralomethrin	Not detected	0.02	mg/Kg	09/15/08	SMR
Pyrethrins (Total)	Not detected	0.02	mg/Kg	09/15/08	SMR
Organonitrogen Pesticides					
Acetamaprid	Not detected	0.02	mg/Kg	09/15/08	SMR
Atrazine	Not detected	0.02	mg/Kg	09/15/08	SMR
Azoxystrobin	Not detected	0.02	mg/Kg	09/15/08	SMR
Benthiocarb	Not detected	0.02	mg/Kg	09/15/08	SMR
Cyanazine	Not detected	0.02	mg/Kg	09/15/08	SMR
Cyromazine	Not detected	0.02	mg/Kg	09/15/08	SMR
Cyprodinil	Not detected	0.02	mg/Kg	09/15/08	SMR
Dimethomorph	Not detected	0.02	mg/Kg	09/15/08	SMR
Diphenylamine	Not detected	0.02	mg/Kg	09/15/08	SMR
Fenamidone	Not detected	0.02	mg/Kg	09/15/08	SMR
Fipronil	Not detected	0.02	mg/Kg	09/15/08	SMR
Fludioxinil	Not detected	0.02	mg/Kg	09/15/08	SMR
Hexazinone	Not detected	0.02	mg/Kg	09/15/08	SMR
Imazalil	Not detected	0.02	mg/Kg	09/15/08	SMR
Kresoxim Methyl	Not detected	0.02	mg/Kg	09/15/08	SMR
Metalaxyl	Not detected	0.02	mg/Kg	09/15/08	SMR
Metolachlor	Not detected	0.02	mg/Kg	09/15/08	SMR
Metribuzin	Not detected	0.02	mg/Kg	09/15/08	SMR
Molinate	Not detected	0.02	mg/Kg	09/15/08	SMR
Myclobutanil	Not detected	0.02	mg/Kg	09/15/08	SMR
Prometon	Not detected	0.02	mg/Kg	09/15/08	SMR
Prometryne	Not detected	0.02	mg/Kg	09/15/08	SMR

ANALYTE	RESULT	MDL	UNIT	DATE	ANALYST
Propamocarb	Not detected	0.02	mg/Kg	09/15/08	SMR
Pymetrazine	Not detected	0.02	mg/Kg	09/15/08	SMR
Pyraclostrobin	Not detected	0.02	mg/Kg	09/15/08	SMR
Pyriproxifen	Not detected	0.02	mg/Kg	09/15/08	SMR
Simazine	Not detected	0.02	mg/Kg	09/15/08	SMR
Tebuconazole	Not detected	0.02	mg/Kg	09/15/08	SMR
Terbacil	Not detected	0.02	mg/Kg	09/15/08	SMR
Thiabendazole	Not detected	0.02	mg/Kg	09/15/08	SMR
Organophosphorus Pesticides					
Acephate	Not detected	0.02	mg/Kg	09/15/08	VTJ
Azinphos-methyl	Not detected	0.02	mg/Kg	09/15/08	VTJ
Bolstar (Sulprofos)	Not detected	0.02	mg/Kg	09/15/08	VTJ
Bensulide	Not detected	0.02	mg/Kg	09/15/08	VTJ
Carbofenthion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Chlorfenvinphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Chlorpyrifos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Chlorpyrifos-methyl	Not detected	0.02	mg/Kg	09/15/08	VTJ
Ciodrin (Crotophos)	Not detected	0.02	mg/Kg	09/15/08	VTJ
Coumaphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
DEF	Not detected	0.02	mg/Kg	09/15/08	VTJ
Demeton (Systox) O/S Analogues	Not detected	0.02	mg/Kg	09/15/08	VTJ
Diazinon	Not detected	0.02	mg/Kg	09/15/08	VTJ
Dibrom (Naled)	Not detected	0.02	mg/Kg	09/15/08	VTJ
Dicrotophos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Dimethoate	Not detected	0.02	mg/Kg	09/15/08	VTJ
Disulfoton	Not detected	0.02	mg/Kg	09/15/08	VTJ
EPN	Not detected	0.02	mg/Kg	09/15/08	VTJ
Ethion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Ethoprop	Not detected	0.02	mg/Kg	09/15/08	VTJ
Fenamiphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Fenitrothion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Fenthion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Fonofos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Isofenphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Malathion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Metasystox-R	Not detected	0.02	mg/Kg	09/15/08	VTJ
Methamidophos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Methidathion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Methyl Parathion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Mevinphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
O-methoate	Not detected	0.02	mg/Kg	09/15/08	VTJ
Parathion	Not detected	0.02	mg/Kg	09/15/08	VTJ
Phorate	Not detected	0.02	mg/Kg	09/15/08	VTJ
Phosalone	Not detected	0.02	mg/Kg	09/15/08	VTJ
Phosmet	Not detected	0.02	mg/Kg	09/15/08	VTJ
Phosphamidon	Not detected	0.02	mg/Kg	09/15/08	VTJ
Pirimiphos-methyl	Not detected	0.02	mg/Kg	09/15/08	VTJ
Profenofos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Propetamphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Ronnel (Fenchlorfos)	Not detected	0.02	mg/Kg	09/15/08	VTJ
Tetrachlorvinphos	Not detected	0.02	mg/Kg	09/15/08	VTJ
Thionazin	Not detected	0.02	mg/Kg	09/15/08	VTJ
Carbamate Pesticides					
Aldicarb Sulfone	Not detected	0.05	mg/Kg	09/10/08	SRR
Aldicarb Sulfoxide	Not detected	0.05	mg/Kg	09/10/08	SRR
Aldicarb	Not detected	0.05	mg/Kg	09/10/08	SRR
Carbaryl	Not detected	0.05	mg/Kg	09/10/08	SRR

ANALYTE	RESULT	MDL	UNIT	DATE	ANALYST
Carbofuran	Not detected	0.05	mg/Kg	09/10/08	SRR
3-OH Carbofuran	Not detected	0.05	mg/Kg	09/10/08	SRR
Methiocarb	Not detected	0.05	mg/Kg	09/10/08	SRR
Methomyl	Not detected	0.05	mg/Kg	09/10/08	SRR
o-Phenyl Phenol	Not detected	0.05	mg/Kg	09/10/08	SRR
Oxamyl	Not detected	0.1	mg/Kg	09/10/08	SRR
Propoxur	Not detected	0.1	mg/Kg	09/10/08	SRR
Thiodicarb	Not detected	0.05	mg/Kg	09/10/08	SRR



John M. Reuther
Laboratory Director

